




KWC


KWC
KIO

KWC +




TouchProtect

Safe to use: An insulated hot water guidance system with a "double skin" principle means the body of the faucet or the pull-out spray can become warm but never hot. In this way, TouchProtect intelligently prevents scalding.




SprayClean

Actively helps with the removal of limescale: With a special faceplate and fastening mechanism, SprayClean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.




QuickConnect

Easy installation and more safety in the kitchen: with QuickConnect, there is no need to screw on the spray head hose, which means there is also no risk of damaging the seal and causing water damage.




PowerClean

The spray you want at the touch of a button: PowerClean makes it exceedingly easy to switch the flow of water on the spray head – from a standard spray to a fine needle spray.




HealthProtect

Better hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water – that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.




EasyLock

A spray that is easy to use and automatically snaps into place: EasyLock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.



SwivelStop

Stop the faucet from moving too far and prevent water damage: SwivelStop allows the swivel range to be adjusted from 360° to 120° or 150° in just a few steps, ensuring that the water only flows into the sink.




QuickInstallation

Hassle-free positioning and fastening of the threaded connection for quick and easy installation: the locking nut is screwed into place by hand to hold the faucet in position using QuickInstallation, before it is fixed in place via the two locking screws.




GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.




PrecisionMove

Exceptional elegance and precision: PrecisionMove allows for seamless movements and exceptional convenience thanks to our consistent use of top-quality materials and superior craftsmanship.



OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



IntelligentControl

Intuitive control meets modern convenience: IntelligentControl reacts to a tap of your finger, can be programmed based on your personal habits and requirements, and has a light ring that indicates the current water temperature.



ART IN THE KITCHEN

With its cone-shaped body and sculptural design, this faucet brings both futuristic aesthetics and intelligent functionality into the kitchen. KWC KIO offers the option of using digital or manual controls and a handheld shower head – minimalistic design with maximum functionality and perfect ergonomics.



Ultimate Ease of Use

Complete control with one hand: the pull-out spray with integrated electronic controls.



Straightforward Design

For traditionalists: the manual version, available with or without a pull-out spray.





CHOOSE YOUR OWN FLOW

With KWC KIO, you can change the water stream type in the blink of an eye. All you need to do is gently push the ergonomically located switching device to change from a laminar stream to a needle spray and back.



Laminar Stream

Like a Swiss mountain spring – the laminar stream is not only an aesthetic delight, it is also very hygienic. It dispenses pure crystal-clear water with less spray.



Needle Spray

A spa treatment for your vegetables – the needle spray is smooth and consistent, and is perfect for gently washing vegetables and other groceries.








KWC KIO ELECTRONIC

KWC KIO brings futuristic design and digital functionality into your kitchen. The sculptural aesthetic and slender silhouette make this a stunning faucet – and the pull-out spray gives you full control, with a control unit that allows you to adjust or program the water temperature and flow rate, change the stream type, use water efficiently and much more.

The faucet also helps you keep things hygienic in the kitchen: the laminar stream provides a clear and bacteria-free water stream, while the integrated hygienic rinse function after the faucet has not been used for a prolonged period guarantees perfect drinking water every time.

The aesthetics of KIO are just as advanced as its functionality – reduced to the essentials with a seamless unibody design and subtly illuminated controls. In short: KWC KIO combines smart living, convenience, hygiene and exquisite design.





A separate illuminated ring surrounds the control element and uses LEDs to show the selected water temperature (blue for cold water, orange for warm water, red for hot water).

**Kitchen**

IntelligentControl - electronic control

- Gap between wall and centre of mounting hole min. 26 mm
- TouchProtect - Anti-scald protection thanks to the "double skin" principle
- Microprocessor-control
 - touch'n'flow 1: cold water, 50% flow rate can be individually adjusted and saved
 - touch'n'flow 2: warm water, 50% flow rate can be individually adjusted and saved
 - touch'n'flow 3: hot water, 50% flow rate can be individually adjusted and saved
- Pull-out spray
 - ergonomic spout alignment, shape and handling
 - SprayClean - easy to clean and actively prevents limescale buildup
 - Neoperl® Perlator® laminar
 - PowerClean - needle spray mode, with automatic diverter reset
 - Integrated control unit
 - up to 500 mm pull-out length
- Hose guide, swivelling 150° limitable to 360°
- EasyLock - A pull-out spray that easily slides back into place
- OptimalSpace - Ample space for washing or working
- KWC control unit, maintenance-free
 - up-to-date microprocessor and drive technology
 - tried-and-tested valve technology
 - with-out installation materials
 - designed for wired connection to 1 operating unit (standard)
- Flexible connection hoses 3/8"
- QuickInstallation - Fastening via threaded connection with locking screws
- Mounting hole size ø35 mm
- Scope of delivery:
 - Mains receiver 100-240 V / operating voltage 12 V / cable length 2000 mm
- To be ordered separately (optional or if necessary):
 - Swivel range limited to 120°, Z.538.320

10.481.232.000FL all chrome A 220

10.481.232.176FL matt black A 220

10.481.232.127FL decor steel A 220

**Kitchen**

Lever mixer

- Lever installation only possible on the right side
 - Child safety: cold water flow in lever position towards the front
- Gap between wall and centre of mounting hole min. 26 mm
- TouchProtect - Anti-scald protection thanks to the "double skin" principle
- Pull-out spray
 - ergonomic spout alignment, shape and handling
 - SprayClean - easy to clean and actively prevents limescale buildup
 - Neoperl® Perlator® laminar
 - PowerClean - needle spray mode, with automatic diverter reset
 - up to 500 mm pull-out length
- Hose guide, swivelling 150° limitable to 360°
- EasyLock - A pull-out spray that easily slides back into place
- OptimalSpace - Ample space for washing or working
- KWC cartridge M 35 S
 - with ceramic discs
 - flow rate and temperature continuously variable
- Flexible connection hoses 3/8"
- QuickInstallation - Fastening via threaded connection with locking screws
- Mounting hole size ø35 mm
- To be ordered separately (optional or if necessary):
 - Swivel range limited to 120°, Z.538.320

10.481.002.000FL all chrome A 220

10.481.002.176FL matt black A 220

10.481.002.127FL decor steel A 220





Kitchen

Lever mixer

- Lever installation only possible on the right side
- Child safety: cold water flow in lever position towards the front
- Gap between wall and centre of mounting hole min. 26 mm
- Swivel spout 160°
 - Neoperl® Caché® laminar
- OptimalSpace - Ample space for washing or working
- KWC cartridge M 35 S
 - with ceramic discs
 - flow rate and temperature continuously variable
- Flexible connection hoses 3/8"
- QuickInstallation - Fastening via threaded connection with locking screws
- Mounting hole size ø35 mm
- To be ordered separately (optional or if necessary):
 - Swivel range limited to 120°, Z.538.320

10.481.012.000FL all chrome A 220

10.481.012.176FL matt black A 220

10.481.012.127FL decor steel A 220

Fitting:

Soap dispenser

Z.536.586.000 all chrome A 100

Z.536.586.176 matt black A 100

Z.536.586.127 decor steel A 100

